Certificate Number
 UL-CA-2136292-1

 Report Reference
 E163113-20120719

Date 10-Feb-2022

Issued to: CARLO GAVAZZI INDUSTRI A/S

Over Hadstenvej 40 Hadsten 8370

Denmark

This is to certify that representative samples of

NRKH7 - Proximity Switches Certified for Canada See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.






Certificate Number UL-CA-2136292-1
Report Reference E163113-20120719

Date 10-Feb-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
xD30 Series , L, followed by D, followed by 30, followed	Photoelectric proximity switches
by C, followed by N or T or P or B, followed by B, D, R,	L-VIII-VIII-VIII-VIII-VI
P, T, followed by I, R, S, W, x or blank, followed by xx,	
10, 15, 20, 60, followed by may be B, N, P, may be	
followed by A, O, C, P may be followed by Axx, M5, T1,	
T5, blank, may be followed by SA, IO, IS, WE or AA-ZZ,	J1 3(U1 3(U1 3(U1 3(U1 3(U
may be followed by xxxx and or xxM.	サイ・ソイ・サイ・サイ・サイ
xD30 Series , P, followed by D, followed by 30, followed	Photoelectric proximity switches
by C, followed by N or T or P or B, followed by B, D, R,	L MIL WIL WIL WIL W
P, T, followed by I, R, S, W, x or blank, followed by xx,	プレバスアンバスアングスアンバスアンバス
10, 15, 20, 60, followed by may be B, N, P, may be	
followed by A, O, C, P may be followed by Axx, M5, T1,	
T5, blank, may be followed by SA, IO, IS, WE or AA-ZZ,	
may be followed by xxxx and or xxM.	シベ シベ シベ シベ シベ





Bruce Mahrenholz, Director North American Certification Program

Certificate Number UL-US-2143184-1

Report Reference E163113-20120719

Date 10-Feb-2022

Issued to: CARLO GAVAZZI INDUSTRI A/S

Over Hadstenvej 40 Hadsten 8370

Denmark

This is to certify that representative samples of

NRKH - Proximity Switches

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 508, 18th Ed., Issue Date: 2018-03-30

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.






Certificate Number UL-US-2143184-1
Report Reference E163113-20120719

Date 10-Feb-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
xD30 Series , L, followed by D, followed by 30, followed	Photoelectric proximity switches
by C, followed by N or T or P or B, followed by B, D, R,	L-MIL-MIL-MIL-MIL-MI
P, T, followed by I, R, S, W, x or blank, followed by xx,	"LJA" LLA" LLA" LLA" LLA" LLA" LLA" LLA"
10, 15, 20, 60, followed by may be B, N, P, may be	
followed by A, O, C, P may be followed by Axx, M5, T1,	
T5, blank, may be followed by SA, IO, IS, WE or AA-ZZ,	J1 3(U1 3(U1 3(U1 3(U1 3(U
may be followed by xxxx and or xxM.	ケイ・シイ・シイ・シイ・シイ
xD30 Series , P, followed by D, followed by 30, followed	Photoelectric proximity switches
by C, followed by N or T or P or B, followed by B, D, R,	L-MIL-MIL-MIL-MIL-M
P, T, followed by I, R, S, W, x or blank, followed by xx,	^L/、~L/、~L/、~L/、~L/、~L/、
10, 15, 20, 60, followed by may be B, N, P, may be	
followed by A, O, C, P may be followed by Axx, M5, T1,	
T5, blank, may be followed by SA, IO, IS, WE or AA-ZZ,	
may be followed by xxxx and or xxM.	タイライライ タイライ





Bruce Mahrenholz, Director North American Certification Program