Certificate Number UL-US-2143185-1

Report Reference E163113-20160128

Date 10-Feb-2022

Issued to: CARLO GAVAZZI INDUSTRI A/S

Over Hadstenvei 40 Hadsten 8370

Denmark

This is to certify that NRKH - Proximity Switches representative samples of

See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 508, 18th Ed., Issue Date: 2018-03-30

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.






Certificate Number UL-US-2143185-1
Report Reference E163113-20160128

Date 10-Feb-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
xD30 Series , L, followed by D, followed by 30, followed	Photo electric proximity switches
by E, followed by T or P, followed by B, D, R, P, T,	
followed by I, R, S, W, x or blank, followed by xx, 10, 15,	
20, 60, may be followed by B, N, P, may be followed by	\times \times \times \times \times
A, O, C, P may be followed by Axx, M5, T1, T5 or blank,	r Va Va Va Va Va Va
may be followed by SA, IO, IS, WE or AA-ZZ, may be	J1 3(U1 3(U1 3(U1 3(U1 3(U
followed by xxxx and/or xxM.	シー・シー・シー・シー・シー・シー・シー・シー・シー・シー・シー・シー・シー・シ
xD30 Series , P, followed by D, followed by 30, followed	Photo electric proximity switches
by E, followed by T or P, followed by B, D, R, P, T,	I. Mil. Wil. Wil. Wil. Wi
followed by I, R, S, W, x or blank, followed by xx, 10, 15,	ピレバドレバドレバドレバドレバ
20, 60, may be followed by B, N, P, may be followed by	
A, O, C, P may be followed by Axx, M5, T1, T5 or blank,	
may be followed by SA, IO, IS, WE or AA-ZZ, may be	
followed by xxxx and/or xxM.	





Bruce Mahrenholz, Director North American Certification Program

Certificate Number Report Reference

UL-CA-2136293-1 E163113-20160128

Date 10-Feb-2022

Issued to:

CARLO GAVAZZI INDUSTRI A/S Over Hadstenvej 40 Hadsten 8370

Denmark

This is to certify that representative samples of

NRKH7 - Proximity Switches Certified for Canada See Addendum Page for Product Designation(s).

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety:

CSA C22.2 NO. 14-18, 13th Ed., Issue Date: 2018-03-01

Additional Information:

See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

This Certificate of Compliance does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.





Certificate Number UL-CA-2136293-1
Report Reference E163113-20160128

Date 10-Feb-2022

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
xD30 Series , L, followed by D, followed by 30, followed	Photo electric proximity switches
by E, followed by T or P, followed by B, D, R, P, T,	Levulevillevillevillevi
followed by I, R, S, W, x or blank, followed by xx, 10, 15,	
20, 60, may be followed by B, N, P, may be followed by	\times \times \times \times \times
A, O, C, P may be followed by Axx, M5, T1, T5 or blank,	n. Vin. Vin. Vin. Vin. VA
may be followed by SA, IO, IS, WE or AA-ZZ, may be	4_3(_01_0(_01_3(_01_0(_0(_01_0(_0(_01_0(_0(_01_0(_0(_0(_0(_0(_0(_0(_0(_0(_0(_0(_0(_0(_
followed by xxxx and/or xxM.	ツヘッペンペッペッペ
xD30 Series , P, followed by D, followed by 30, followed	Photo electric proximity switches
by E, followed by T or P, followed by B, D, R, P, T,	I- YH- YH- YH- YH- Y
followed by I, R, S, W, x or blank, followed by xx, 10, 15,	LIVELVE LIVE LIVE LIVE
20, 60, may be followed by B, N, P, may be followed by	\times \times \times \times \times
A, O, C, P may be followed by Axx, M5, T1, T5 or blank,	r Var Var Var Var Va
may be followed by SA, IO, IS, WE or AA-ZZ, may be	1)(:U)(:
followed by xxxx and/or xxM.	シーシーシーシーシー

